

Common Name	Scientific Name	Count	Reporting Rate
Crimson Rosella	<i>Platycercus elegans</i>	2673	30.09%
Australian Magpie	<i>Gymnorhina tibicen</i>	2425	27.30%
Rainbow Lorikeet	<i>Trichoglossus moluccanus</i>	2359	26.56%
Silver Gull	<i>Chroicocephalus novaehollandiae</i>	2358	26.55%
Australian Raven	<i>Corvus coronoides</i>	2289	25.77%
Red Wattlebird	<i>Anthochaera carunculata</i>	2182	24.57%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	2171	24.44%
Masked Lapwing	<i>Vanellus miles</i>	2163	24.35%
Grey Fantail	<i>Rhipidura fuliginosa</i>	2067	23.27%
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	2053	23.11%
Brown Thornbill	<i>Acanthiza pusilla</i>	1970	22.18%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	1942	21.86%
Australian Pelican	<i>Pelecanus conspicillatus</i>	1891	21.29%
Superb Fairy-wren	<i>Malurus cyaneus</i>	1851	20.84%
White-faced Heron	<i>Egretta novaehollandiae</i>	1837	20.68%
Pied Currawong	<i>Strepera graculina</i>	1816	20.45%
Eastern Whipbird	<i>Psophodes olivaceus</i>	1787	20.12%
Crested Tern	<i>Thalasseus bergii</i>	1746	19.66%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	1735	19.53%
Magpie-lark	<i>Grallina cyanoleuca</i>	1727	19.44%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	1689	19.02%
Chestnut Teal	<i>Anas castanea</i>	1672	18.82%
Welcome Swallow	<i>Hirundo neoxena</i>	1666	18.76%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	1654	18.62%
Black Swan	<i>Cygnus atratus</i>	1649	18.57%
Great Cormorant	<i>Phalacrocorax carbo</i>	1621	18.25%
Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	1572	17.70%
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	1562	17.59%
Galah	<i>Eolophus roseicapilla</i>	1491	16.79%
Willie Wagtail	<i>Rhipidura leucophrys</i>	1405	15.82%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	1387	15.62%
Grey Butcherbird	<i>Cracticus torquatus</i>	1379	15.53%
Red-capped Plover	<i>Charadrius ruficapillus</i>	1337	15.05%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	1314	14.79%
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	1297	14.60%
Australian Pied Oystercatcher	<i>Haematopus longirostris</i>	1261	14.20%
Silvereye	<i>Zosterops lateralis</i>	1251	14.08%
Bar-tailed Godwit	<i>Limosa lapponica</i>	1240	13.96%
White-browed Scrubwren	<i>Sericornis frontalis</i>	1219	13.72%
Australian King-Parrot	<i>Alisterus scapularis</i>	1207	13.59%
Spotted Pardalote	<i>Pardalotus punctatus</i>	1141	12.85%
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	1117	12.58%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	1070	12.05%
Spotted Dove	<i>Streptopelia chinensis</i>	1043	11.74%
Great Egret	<i>Ardea alba</i>	1025	11.54%
White-throated Treecreeper	<i>Cormobates leucophaea</i>	1021	11.50%
Crested Pigeon	<i>Ocyphaps lophotes</i>	991	11.16%
Golden Whistler	<i>Pachycephala pectoralis</i>	975	10.98%
Eastern Curlew	<i>Numenius madagascariensis</i>	908	10.22%
Pacific Black Duck	<i>Anas superciliosa</i>	904	10.18%
Australian Wood Duck	<i>Chenonetta jubata</i>	896	10.09%
Common Myna	<i>Acridotheres tristis</i>	896	10.09%
Red-browed Finch	<i>Neochmia temporalis</i>	874	9.84%
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	863	9.72%
Red-necked Stint	<i>Calidris ruficollis</i>	834	9.39%
Caspian Tern	<i>Hydroprogne caspia</i>	826	9.30%
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	794	8.94%
Grey Teal	<i>Anas gracilis</i>	695	7.82%

Noisy Friarbird	<i>Philemon corniculatus</i>	681	7.67%
Striated Thornbill	<i>Acanthiza lineata</i>	653	7.35%
Double-banded Plover	<i>Charadrius bicinctus</i>	638	7.18%
Sooty Oystercatcher	<i>Haematopus fuliginosus</i>	637	7.17%
Australian White Ibis	<i>Threskiornis moluccus</i>	621	6.99%
Brown Gerygone	<i>Gerygone mouki</i>	560	6.30%
Pied Cormorant	<i>Phalacrocorax varius</i>	557	6.27%
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	541	6.09%
Variiegated Fairy-wren	<i>Malurus lamberti</i>	540	6.08%
Wonga Pigeon	<i>Leucosarcia melanoleuca</i>	532	5.99%
Eastern Koel	<i>Eudynamys orientalis</i>	514	5.79%
Superb Lyrebird	<i>Menura novaehollandiae</i>	514	5.79%
Pacific Golden Plover	<i>Pluvialis fulva</i>	509	5.73%
Whistling Kite	<i>Haliastur sphenurus</i>	501	5.64%
Australasian Gannet	<i>Morus serrator</i>	494	5.56%
Rufous Whistler	<i>Pachycephala rufiventris</i>	477	5.37%
Gang-gang Cockatoo	<i>Callocephalon fimbriatum</i>	463	5.21%
Little Tern	<i>Sternula albifrons</i>	442	4.98%
Yellow Thornbill	<i>Acanthiza nana</i>	438	4.93%
House Sparrow	<i>Passer domesticus</i>	418	4.71%
Little Egret	<i>Egretta garzetta</i>	414	4.66%
Musk Lorikeet	<i>Glossopsitta concinna</i>	410	4.62%
Eastern Bristlebird	<i>Dasyornis brachypterus</i>	391	4.40%
Olive-backed Oriole	<i>Oriolus sagittatus</i>	372	4.19%
Dollarbird	<i>Eurystomus orientalis</i>	370	4.17%
Brown Cuckoo-Dove	<i>Macropygia phasianella</i>	368	4.14%
Black-faced Monarch	<i>Monarcha melanopsis</i>	367	4.13%
Common Starling	<i>Sturnus vulgaris</i>	363	4.09%
Little Corella	<i>Cacatua sanguinea</i>	357	4.02%
Southern Boobook	<i>Ninox boobook</i>	333	3.75%
Eastern Rosella	<i>Platycercus eximius</i>	327	3.68%
Sacred Kingfisher	<i>Todiramphus sanctus</i>	325	3.66%
White-headed Pigeon	<i>Columba leucomela</i>	320	3.60%
Rufous Fantail	<i>Rhipidura rufifrons</i>	318	3.58%
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	307	3.46%
Black-winged Stilt	<i>Himantopus leucocephalus</i>	286	3.22%
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	275	3.10%
Royal Spoonbill	<i>Platalea regia</i>	259	2.92%
Purple Swamphen	<i>Porphyrio porphyrio</i>	249	2.80%
Red Knot	<i>Calidris canutus</i>	243	2.74%
Nankeen Kestrel	<i>Falco cenchroides</i>	238	2.68%
Striated Heron	<i>Butorides striata</i>	235	2.65%
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	234	2.63%
Swamp Harrier	<i>Circus approximans</i>	230	2.59%
Bassian Thrush	<i>Zoothera lunulata</i>	228	2.57%
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	225	2.53%
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	224	2.52%
Hooded Plover	<i>Thinornis cucullatus</i>	221	2.49%
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	219	2.47%
Australasian Darter	<i>Anhinga novaehollandiae</i>	213	2.40%
Eurasian Coot	<i>Fulica atra</i>	213	2.40%
Common Blackbird	<i>Turdus merula</i>	209	2.35%
Glossy Black-Cockatoo	<i>Calyptorhynchus lathami</i>	203	2.29%
Wedge-tailed Eagle	<i>Aquila audax</i>	203	2.29%
White-throated Needletail	<i>Hirundapus caudacutus</i>	203	2.29%
White-fronted Chat	<i>Epthianura albifrons</i>	202	2.27%
Curlew Sandpiper	<i>Calidris ferruginea</i>	193	2.17%
Australasian Pipit	<i>Anthus novaeseelandiae</i>	191	2.15%
Common Bronzewing	<i>Phaps chalcoptera</i>	188	2.12%

White-naped Honeyeater	Melithreptus lunatus	181	2.04%
Noisy Miner	Manorina melanocephala	173	1.95%
Jacky Winter	Microeca fascinans	171	1.93%
Ruddy Turnstone	Arenaria interpres	167	1.88%
Lesser Sand Plover	Charadrius mongolus	162	1.82%
Australian Gull-billed Tern	Gelochelidon macrotarsa	161	1.81%
Rose Robin	Petroica rosea	161	1.81%
Leaden Flycatcher	Myiagra rubecula	159	1.79%
Hoary-headed Grebe	Poliiocephalus poliocephalus	157	1.77%
Cattle Egret	Bubulcus ibis	154	1.73%
Whimbrel	Numenius phaeopus	154	1.73%
Intermediate Egret	Ardea intermedia	149	1.68%
Shining Bronze-Cuckoo	Chalcites lucidus	149	1.68%
White-necked Heron	Ardea pacifica	148	1.67%
Musk Duck	Biziura lobata	142	1.60%
Azure Kingfisher	Ceyx azureus	136	1.53%
Southern Emu-wren	Stipiturus malachurus	128	1.44%
White-cheeked Honeyeater	Phylidonyris niger	125	1.41%
Grey Goshawk	Accipiter novaehollandiae	124	1.40%
Striated Pardalote	Pardalotus striatus	123	1.38%
Common Tern	Sterna hirundo	122	1.37%
Straw-necked Ibis	Threskiornis spinicollis	121	1.36%
Yellow-rumped Thornbill	Acanthiza chrysorrhoa	121	1.36%
Mistletoebird	Dicaeum hirundinaceum	119	1.34%
Square-tailed Kite	Lophoictinia isura	119	1.34%
Brown-headed Honeyeater	Melithreptus brevirostris	118	1.33%
Australian Logrunner	Orthonyx temminckii	116	1.31%
Australian Hobby	Falco longipennis	113	1.27%
Brush Cuckoo	Cacomantis variolosus	113	1.27%
Peregrine Falcon	Falco peregrinus	112	1.26%
Hardhead	Aythya australis	107	1.20%
Long-billed Corella	Cacatua tenuirostris	107	1.20%
Brown Goshawk	Accipiter fasciatus	105	1.18%
Dusky Moorhen	Gallinula tenebrosa	105	1.18%
Common Greenshank	Tringa nebularia	104	1.17%
Eastern Reef Egret	Egretta sacra	103	1.16%
Green Catbird	Ailuroedus crassirostris	103	1.16%
Tawny Frogmouth	Podargus strigoides	103	1.16%
Yellow-tufted Honeyeater	Lichenostomus melanops	103	1.16%
Crested Shrike-tit	Falcunculus frontatus	102	1.15%
Black-shouldered Kite	Elanus axillaris	98	1.10%
Rockwarbler	Origma solitaria	98	1.10%
Nankeen Night-Heron	Nycticorax caledonicus	94	1.06%
Great Knot	Calidris tenuirostris	92	1.04%
Pilotbird	Pycnoptilus floccosus	90	1.01%
Yellow-throated Scrubwren	Sericornis citreogularis	86	0.97%
Black-fronted Dotterel	Elseyornis melanops	84	0.95%
Red-browed Treecreeper	Climacteris erythrops	83	0.93%
Large-billed Scrubwren	Sericornis magnirostra	81	0.91%
Black-tailed Godwit	Limosa limosa	78	0.88%
Osprey	Pandion haliaetus	76	0.86%
Varied Sittella	Daphoenositta chrysoptera	76	0.86%
Grey-tailed Tattler	Tringa brevipes	73	0.82%
Dusky Woodswallow	Artamus cyanopterus	72	0.81%
White-winged Black Tern	Chlidonias leucopterus	72	0.81%
Rock Dove	Columba livia	70	0.79%
White-eared Honeyeater	Nesoptilotis leucotis	69	0.78%
Collared Sparrowhawk	Accipiter cirrocephalus	67	0.75%
Sanderling	Calidris alba	64	0.72%

Australasian Figbird	<i>Sphecotheres vieilloti</i>	63	0.71%
Bar-shouldered Dove	<i>Geopelia humeralis</i>	62	0.70%
Powerful Owl	<i>Ninox strenua</i>	62	0.70%
Short-tailed Shearwater	<i>Ardenna tenuirostris</i>	61	0.69%
Cicadabird	<i>Edolisoma tenuirostris</i>	60	0.68%
Tawny-crowned Honeyeater	<i>Glyciphila melanops</i>	60	0.68%
Buff-banded Rail	<i>Hypotaenidia philippensis</i>	58	0.65%
Grey Plover	<i>Pluvialis squatarola</i>	57	0.64%
Horsfield's Bronze-Cuckoo	<i>Chalcites basalis</i>	57	0.64%
Beautiful Firetail	<i>Stagonopleura bella</i>	56	0.63%
Peaceful Dove	<i>Geopelia placida</i>	56	0.63%
Australasian Shoveler	<i>Spatula rhynchotis</i>	54	0.61%
Crescent Honeyeater	<i>Phylidonyris pyrrhopterus</i>	54	0.61%
Tree Martin	<i>Petrochelidon nigricans</i>	54	0.61%
White-winged Chough	<i>Corcorax melanorhamphos</i>	52	0.59%
Pacific Baza	<i>Aviceda subcristata</i>	51	0.57%
Fuscous Honeyeater	<i>Ptilotula fusca</i>	48	0.54%
White-rumped Sandpiper	<i>Calidris fuscicollis</i>	48	0.54%
Little Penguin	<i>Eudyptula minor</i>	47	0.53%
Fairy Martin	<i>Petrochelidon ariel</i>	46	0.52%
Ground Parrot	<i>Pezoporus wallicus</i>	46	0.52%
Little Lorikeet	<i>Glossopsitta pusilla</i>	46	0.52%
Wedge-tailed Shearwater	<i>Ardenna pacifica</i>	45	0.51%
Brush Bronzewing	<i>Phaps elegans</i>	44	0.50%
Red-necked Avocet	<i>Recurvirostra novaehollandiae</i>	42	0.47%
Black-browed Albatross	<i>Thalassarche melanophris</i>	39	0.44%
Little Raven	<i>Corvus mellori</i>	36	0.41%
Pallid Cuckoo	<i>Heteroscenes pallidus</i>	35	0.39%
Brown Falcon	<i>Falco berigora</i>	34	0.38%
Whiskered Tern	<i>Chlidonias hybrida</i>	33	0.37%
White-throated Gerygone	<i>Gerygone olivacea</i>	33	0.37%
Brown Quail	<i>Synoicus ypsilophora</i>	32	0.36%
Grey Currawong	<i>Strepera versicolor</i>	31	0.35%
White-fronted Tern	<i>Sterna striata</i>	31	0.35%
Buff-rumped Thornbill	<i>Acanthiza reguloides</i>	30	0.34%
Fairy Tern	<i>Sternula nereis</i>	30	0.34%
Greater Sand Plover	<i>Charadrius leschenaultii</i>	30	0.34%
Little Eagle	<i>Hieraaetus morphnoides</i>	30	0.34%
Satin Flycatcher	<i>Myiagra cyanoleuca</i>	27	0.30%
Weebill	<i>Smicronis brevisrostris</i>	26	0.29%
Australian Owlet-nightjar	<i>Aegotheles cristatus</i>	25	0.28%
Australian Reed-Warbler	<i>Acrocephalus australis</i>	24	0.27%
Broad-billed Sandpiper	<i>Calidris falcinellus</i>	23	0.26%
Chestnut-rumped Heathwren	<i>Calamanthus pyrrhopygius</i>	23	0.26%
European Goldfinch	<i>Carduelis carduelis</i>	23	0.26%
Marsh Sandpiper	<i>Tringa stagnatilis</i>	23	0.26%
Australian Shelduck	<i>Tadorna tadornoides</i>	21	0.24%
Fluttering Shearwater	<i>Puffinus gavia</i>	21	0.24%
Greater Sooty Owl	<i>Tyto tenebricosa</i>	21	0.24%
Latham's Snipe	<i>Gallinago hardwickii</i>	21	0.24%
Arctic Jaeger	<i>Stercorarius parasiticus</i>	20	0.23%
Freckled Duck	<i>Stictonetta naevosa</i>	20	0.23%
Golden-headed Cisticola	<i>Cisticola exilis</i>	20	0.23%
Painted Button-quail	<i>Turnix varius</i>	20	0.23%
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	20	0.23%
White-bellied Cuckoo-shrike	<i>Coracina papuensis</i>	20	0.23%
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	19	0.21%
Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>	18	0.20%
Shy Albatross	<i>Thalassarche cauta</i>	18	0.20%

Spangled Drongo	Dicrurus bracteatus	18	0.20%
Beach Stone-curlew	Esacus magnirostris	17	0.19%
Fairy Prion	Pachyptila turtur	16	0.18%
Lewin's Rail	Lewinia pectoralis	16	0.18%
Rainbow Bee-eater	Merops ornatus	16	0.18%
Scarlet Robin	Petroica multicolor	16	0.18%
Pacific Gull	Larus pacificus	14	0.16%
Red-kneed Dotterel	Erythrogonys cinctus	14	0.16%
Great Crested Grebe	Podiceps cristatus	13	0.15%
Northern Mallard	Anas platyrhynchos	13	0.15%
Barking Owl	Ninox connivens	12	0.14%
Black Bittern	Ixobrychus flavicollis	12	0.14%
Indian Yellow-nosed Albatross	Thalassarche carteri	12	0.14%
Olive Whistler	Pachycephala olivacea	12	0.14%
Pectoral Sandpiper	Calidris melanotos	12	0.14%
Terek Sandpiper	Xenus cinereus	12	0.14%
White-throated Nightjar	Eurostopodus mystacalis	11	0.12%
Barn Owl	Tyto alba	9	0.10%
Bell Miner	Manorina melanophrys	9	0.10%
Common Sandpiper	Actitis hypoleucos	9	0.10%
Double-barred Finch	Taeniopygia bichenovii	9	0.10%
Glossy Ibis	Plegadis falcinellus	9	0.10%
Wandering Albatross	Diomedea exulans	9	0.10%
White-breasted Woodswallow	Artamus leucorhynchus	9	0.10%
White-plumed Honeyeater	Ptilotula penicillata	9	0.10%
Black-faced Cormorant	Phalacrocorax fuscescens	8	0.09%
Flame Robin	Petroica phoenicea	8	0.09%
Hudsonian Godwit	Limosa haemastica	8	0.09%
Masked Owl	Tyto novaehollandiae	8	0.09%
Pomarine Jaeger	Stercorarius pomarinus	8	0.09%
Restless Flycatcher	Myiagra inquieta	8	0.09%
Scaly-breasted Lorikeet	Trichoglossus chlorolepidotus	8	0.09%
Spotted Quail-thrush	Cinclosoma punctatum	8	0.09%
Banded Stilt	Cladorhynchus leucocephalus	7	0.08%
Black Kite	Milvus migrans	7	0.08%
Fork-tailed Swift	Apus pacificus	7	0.08%
Little Friarbird	Philemon citreogularis	7	0.08%
Pied Butcherbird	Cracticus nigrogularis	7	0.08%
Regent Honeyeater	Anthochaera phrygia	7	0.08%
Australian Painted Snipe	Rostratula australis	6	0.07%
Brown-capped Emerald-Dove	Chalcophaps longirostris	6	0.07%
Oriental Cuckoo	Cuculus saturatus	6	0.07%
Pheasant Coucal	Centropus phasianinus	6	0.07%
Striated Fieldwren	Calamanthus fuliginosus	6	0.07%
Banded Lapwing	Vanellus tricolor	5	0.06%
Brown Skua	Catharacta antarcticus	5	0.06%
Great-winged Petrel	Pterodroma macroptera	5	0.06%
Kelp Gull	Larus dominicanus	5	0.06%
Noisy Pitta	Pitta versicolor	5	0.06%
Sooty Tern	Onychoprion fuscatus	5	0.06%
Southern Giant-Petrel	Macronectes giganteus	5	0.06%
Southern Royal Albatross	Diomedea epomophora	5	0.06%
White-winged Triller	Lalage tricolor	5	0.06%
Australasian Bittern	Botaurus poiciloptilus	4	0.05%
Brown Treecreeper	Climacteris picumnus	4	0.05%
Cape Barren Goose	Cereopsis novaehollandiae	4	0.05%
Flesh-footed Shearwater	Ardenna carneipes	4	0.05%
Hooded Robin	Melanodryas cucullata	4	0.05%
Little Grassbird	Poodytes gramineus	4	0.05%

Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	4	0.05%
Rufous Songlark	<i>Cincloramphus mathewsi</i>	4	0.05%
Stubble Quail	<i>Coturnix pectoralis</i>	4	0.05%
Swift Parrot	<i>Lathamus discolor</i>	4	0.05%
Turquoise Parrot	<i>Neophema pulchella</i>	4	0.05%
White-browed Woodswallow	<i>Artamus superciliosus</i>	4	0.05%
White-faced Storm-Petrel	<i>Pelagodroma marina</i>	4	0.05%
Black-necked Stork	<i>Ephippiorhynchus asiaticus</i>	3	0.03%
Brown Songlark	<i>Cincloramphus cruralis</i>	3	0.03%
Cape Petrel	<i>Daption capense</i>	3	0.03%
Diamond Firetail	<i>Stagonopleura guttata</i>	3	0.03%
Emu	<i>Dromaius novaehollandiae</i>	3	0.03%
Eurasian Skylark	<i>Alauda arvensis</i>	3	0.03%
Hutton's Shearwater	<i>Puffinus huttoni</i>	3	0.03%
Little Shearwater	<i>Puffinus assimilis</i>	3	0.03%
Masked Woodswallow	<i>Artamus personatus</i>	3	0.03%
Muscovy Duck	<i>Cairina moschata</i>	3	0.03%
Oriental Plover	<i>Charadrius veredus</i>	3	0.03%
Spotted Harrier	<i>Circus assimilis</i>	3	0.03%
White-chinned Petrel	<i>Procellaria aequinoctialis</i>	3	0.03%
White-headed Petrel	<i>Pterodroma lessonii</i>	3	0.03%
Australian Spotted Crake	<i>Porzana fluminea</i>	2	0.02%
Black Noddy	<i>Anous minutus</i>	2	0.02%
Black-eared Cuckoo	<i>Chalcites osculans</i>	2	0.02%
Broad-billed Prion	<i>Pachyptila vittata</i>	2	0.02%
Buller's Albatross	<i>Thalassarche bulleri</i>	2	0.02%
Canada Goose	<i>Branta canadensis</i>	2	0.02%
Cockatiel	<i>Nymphicus hollandicus</i>	2	0.02%
Common Diving-Petrel	<i>Pelecanoides urinatrix</i>	2	0.02%
Kermadec Petrel	<i>Pterodroma neglecta</i>	2	0.02%
Lesser Frigatebird	<i>Fregata ariel</i>	2	0.02%
Long-toed Stint	<i>Calidris subminuta</i>	2	0.02%
Masked Booby	<i>Sula dactylatra</i>	2	0.02%
Paradise Shelduck	<i>Tadorna variegata</i>	2	0.02%
Providence Petrel	<i>Pterodroma solandri</i>	2	0.02%
Red-rumped Parrot	<i>Psephotus haematonotus</i>	2	0.02%
Salvin's Prion	<i>Pachyptila salvini</i>	2	0.02%
Slender-billed Prion	<i>Pachyptila belcheri</i>	2	0.02%
Southern Fulmar	<i>Fulmarus glacialisoides</i>	2	0.02%
Spectacled Monarch	<i>Symposiarchus trivirgatus</i>	2	0.02%
Spotless Crake	<i>Zapornia tabuensis</i>	2	0.02%
White-capped Albatross	<i>Thalassarche steadi</i>	2	0.02%
Zebra Finch	<i>Taeniopygia guttata</i>	2	0.02%
Antarctic Prion	<i>Pachyptila desolata</i>	1	0.01%
Australian Brush-turkey	<i>Alectura lathami</i>	1	0.01%
Australian Pratincole	<i>Stiltia isabella</i>	1	0.01%
Black-tailed Native-hen	<i>Tribonyx ventralis</i>	1	0.01%
Brahminy Kite	<i>Haliastur indus</i>	1	0.01%
Brown Honeyeater	<i>Lichmera indistincta</i>	1	0.01%
Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	1	0.01%
Bush Stone-curlew	<i>Burhinus grallarius</i>	1	0.01%
Chestnut-breasted Mannikin	<i>Lonchura castaneothorax</i>	1	0.01%
Helmeted Guineafowl	<i>Numida meleagris</i>	1	0.01%
Inland Dotterel	<i>Charadrius australis</i>	1	0.01%
Light-mantled Sooty Albatross	<i>Phoebastria palpebrata</i>	1	0.01%
Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	1	0.01%
Mangrove Gerygone	<i>Gerygone levigaster</i>	1	0.01%
New Zealand Storm-Petrel	<i>Fregetta maoriana</i>	1	0.01%
Northern Giant-Petrel	<i>Macronectes halli</i>	1	0.01%

Red-capped Robin	<i>Petroica goodenovii</i>	1	0.01%
Sooty Shearwater	<i>Ardena grisea</i>	1	0.01%
Streaked Shearwater	<i>Calonectris leucomelas</i>	1	0.01%
Tawny Grassbird	<i>Cincloramphus timoriensis</i>	1	0.01%
Wandering Whistling-Duck	<i>Dendrocygna arcuata</i>	1	0.01%
Wilson's Storm-Petrel	<i>Oceanites oceanicus</i>	1	0.01%
Wood Sandpiper	<i>Tringa glareola</i>	1	0.01%