

Historical Species List for Lake Conjola Entrance from Birdata

Common Name	Scientific Name	Count	Reporting Rate
Arctic Jaeger	<i>Stercorarius parasiticus</i>	1	1.32%
Australasian Darter	<i>Anhinga novaehollandiae</i>	1	1.32%
Australasian Gannet	<i>Morus serrator</i>	7	9.21%
Australian King-Parrot	<i>Alisterus scapularis</i>	4	5.26%
Australian Magpie	<i>Gymnorhina tibicen</i>	23	30.26%
Australian Pelican	<i>Pelecanus conspicillatus</i>	36	47.37%
Australian Pied Oystercatcher	<i>Haematopus longirostris</i>	59	77.63%
Australian Raven	<i>Corvus coronoides</i>	28	36.84%
Australian White Ibis	<i>Threskiornis moluccus</i>	2	2.63%
Australian Wood Duck	<i>Chenonetta jubata</i>	30	39.47%
Azure Kingfisher	<i>Ceyx azureus</i>	1	1.32%
Bar-tailed Godwit	<i>Limosa lapponica</i>	31	40.79%
Bassian Thrush	<i>Zoothera lunulata</i>	2	2.63%
Black Swan	<i>Cygnus atratus</i>	7	9.21%
Black-browed Albatross	<i>Thalassarche melanophris</i>	1	1.32%
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	8	10.53%
Brown Cuckoo-Dove	<i>Macropygia phasianella</i>	1	1.32%
Brown Gerygone	<i>Gerygone mouki</i>	5	6.58%
Brown Goshawk	<i>Accipiter fasciatus</i>	1	1.32%
Brown Skua	<i>Catharacta antarcticus</i>	1	1.32%
Brown Thornbill	<i>Acanthiza pusilla</i>	12	15.79%
Brown-headed Honeyeater	<i>Melithreptus brevirostris</i>	1	1.32%
Brush Cuckoo	<i>Cacomantis variolosus</i>	1	1.32%
Buller's Albatross	<i>Thalassarche bulleri</i>	1	1.32%
Caspian Tern	<i>Hydroprogne caspia</i>	22	28.95%
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	2	2.63%
Chestnut Teal	<i>Anas castanea</i>	24	31.58%
Cicadabird	<i>Edolisoma tenuirostris</i>	1	1.32%
Collared Sparrowhawk	<i>Accipiter cirrocephalus</i>	1	1.32%
Common Myna	<i>Acridotheres tristis</i>	3	3.95%
Common Starling	<i>Sturnus vulgaris</i>	1	1.32%
Common Tern	<i>Sterna hirundo</i>	4	5.26%
Crested Pigeon	<i>Ocyphaps lophotes</i>	6	7.89%
Crested Shrike-tit	<i>Falcunculus frontatus</i>	1	1.32%
Crested Tern	<i>Thalasseus bergii</i>	47	61.84%
Crimson Rosella	<i>Platycercus elegans</i>	13	17.11%
Dollarbird	<i>Eurystomus orientalis</i>	4	5.26%
Double-banded Plover	<i>Charadrius bicinctus</i>	21	27.63%
Eastern Curlew	<i>Numenius madagascariensis</i>	27	35.53%
Eastern Koel	<i>Eudynamys orientalis</i>	5	6.58%
Eastern Reef Egret	<i>Egretta sacra</i>	1	1.32%
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	11	14.47%
Eastern Whipbird	<i>Psophodes olivaceus</i>	12	15.79%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	15	19.74%
Eurasian Coot	<i>Fulica atra</i>	1	1.32%
Fairy Martin	<i>Petrochelidon ariel</i>	1	1.32%
Fairy Prion	<i>Pachyptila turtur</i>	1	1.32%
Fairy Tern	<i>Sternula nereis</i>	1	1.32%
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	4	5.26%
Fluttering Shearwater	<i>Puffinus gavia</i>	1	1.32%
Galah	<i>Eolophus roseicapilla</i>	16	21.05%
Gang-gang Cockatoo	<i>Callocephalon fimbriatum</i>	1	1.32%
Glossy Black-Cockatoo	<i>Calyptorhynchus lathami</i>	2	2.63%
Golden Whistler	<i>Pachycephala pectoralis</i>	4	5.26%
Great Cormorant	<i>Phalacrocorax carbo</i>	47	61.84%
Great Egret	<i>Ardea alba</i>	9	11.84%
Grey Butcherbird	<i>Cracticus torquatus</i>	6	7.89%

Grey Fantail	<i>Rhipidura fuliginosa</i>	11	14.47%
Grey Goshawk	<i>Accipiter novaehollandiae</i>	4	5.26%
Grey Plover	<i>Pluvialis squatarola</i>	1	1.32%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	4	5.26%
Grey Teal	<i>Anas gracilis</i>	3	3.95%
Hooded Plover	<i>Thinornis cucullatus</i>	13	17.11%
House Sparrow	<i>Passer domesticus</i>	1	1.32%
Indian Yellow-nosed Albatross	<i>Thalassarche carteri</i>	1	1.32%
Intermediate Egret	<i>Ardea intermedia</i>	1	1.32%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	11	14.47%
Lesser Sand Plover	<i>Charadrius mongolus</i>	1	1.32%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	22	28.95%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	15	19.74%
Little Corella	<i>Cacatua sanguinea</i>	1	1.32%
Little Egret	<i>Egretta garzetta</i>	13	17.11%
Little Penguin	<i>Eudyptula minor</i>	1	1.32%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	25	32.89%
Little Tern	<i>Sternula albifrons</i>	20	26.32%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	28	36.84%
Long-billed Corella	<i>Cacatua tenuirostris</i>	1	1.32%
Magpie-lark	<i>Grallina cyanoleuca</i>	18	23.68%
Masked Lapwing	<i>Vanellus miles</i>	43	56.58%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	3	3.95%
Musk Lorikeet	<i>Glossopsitta concinna</i>	2	2.63%
Nankeen Kestrel	<i>Falco cenchroides</i>	2	2.63%
Nankeen Night-Heron	<i>Nycticorax caledonicus</i>	1	1.32%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	16	21.05%
Noisy Friarbird	<i>Philemon corniculatus</i>	9	11.84%
Olive-backed Oriole	<i>Oriolus sagittatus</i>	2	2.63%
Osprey	<i>Pandion haliaetus</i>	3	3.95%
Pacific Black Duck	<i>Anas superciliosa</i>	1	1.32%
Pacific Gull	<i>Larus pacificus</i>	1	1.32%
Peaceful Dove	<i>Geopelia placida</i>	1	1.32%
Pied Cormorant	<i>Phalacrocorax varius</i>	17	22.37%
Pied Currawong	<i>Strepera graculina</i>	10	13.16%
Pomarine Jaeger	<i>Stercorarius pomarinus</i>	1	1.32%
Purple Swamphen	<i>Porphyrio porphyrio</i>	1	1.32%
Rainbow Lorikeet	<i>Trichoglossus moluccanus</i>	35	46.05%
Red Knot	<i>Calidris canutus</i>	1	1.32%
Red Wattlebird	<i>Anthochaera carunculata</i>	18	23.68%
Red-browed Finch	<i>Neochmia temporalis</i>	2	2.63%
Red-browed Treecreeper	<i>Climacteris erythroptera</i>	1	1.32%
Red-capped Plover	<i>Charadrius ruficapillus</i>	45	59.21%
Red-necked Stint	<i>Calidris ruficollis</i>	16	21.05%
Royal Spoonbill	<i>Platalea regia</i>	1	1.32%
Ruddy Turnstone	<i>Arenaria interpres</i>	3	3.95%
Rufous Fantail	<i>Rhipidura rufifrons</i>	3	3.95%
Rufous Whistler	<i>Pachycephala rufiventris</i>	1	1.32%
Sacred Kingfisher	<i>Todiramphus sanctus</i>	1	1.32%
Sanderling	<i>Calidris alba</i>	2	2.63%
Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	2	2.63%
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	3	3.95%
Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	1	1.32%
Short-tailed Shearwater	<i>Ardenna tenuirostris</i>	2	2.63%
Shy Albatross	<i>Thalassarche cauta</i>	1	1.32%
Silver Gull	<i>Chroicocephalus novaehollandiae</i>	54	71.05%
Silvereye	<i>Zosterops lateralis</i>	12	15.79%
Sooty Oystercatcher	<i>Haematopus fuliginosus</i>	6	7.89%
Southern Boobook	<i>Ninox boobook</i>	1	1.32%

Spotted Dove	<i>Streptopelia chinensis</i>	4	5.26%
Spotted Pardalote	<i>Pardalotus punctatus</i>	13	17.11%
Striated Heron	<i>Butorides striata</i>	1	1.32%
Striated Pardalote	<i>Pardalotus striatus</i>	1	1.32%
Striated Thornbill	<i>Acanthiza lineata</i>	3	3.95%
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	1	1.32%
Superb Fairy-wren	<i>Malurus cyaneus</i>	18	23.68%
Terek Sandpiper	<i>Xenus cinereus</i>	3	3.95%
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	2	2.63%
Tree Martin	<i>Petrochelidon nigricans</i>	1	1.32%
Varied Sittella	<i>Daphoenositta chrysoptera</i>	1	1.32%
Variiegated Fairy-wren	<i>Malurus lamberti</i>	5	6.58%
Wedge-tailed Shearwater	<i>Ardenna pacifica</i>	1	1.32%
Welcome Swallow	<i>Hirundo neoxena</i>	28	36.84%
Whimbrel	<i>Numenius phaeopus</i>	8	10.53%
Whistling Kite	<i>Haliastur sphenurus</i>	3	3.95%
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	24	31.58%
White-browed Scrubwren	<i>Sericornis frontalis</i>	3	3.95%
White-cheeked Honeyeater	<i>Phylidonyris niger</i>	1	1.32%
White-faced Heron	<i>Egretta novaehollandiae</i>	29	38.16%
White-fronted Tern	<i>Sterna striata</i>	3	3.95%
White-headed Pigeon	<i>Columba leucomela</i>	1	1.32%
White-throated Needletail	<i>Hirundapus caudacutus</i>	1	1.32%
White-throated Treecreeper	<i>Cormobates leucophaea</i>	3	3.95%
Willie Wagtail	<i>Rhipidura leucophrys</i>	12	15.79%
Yellow Thornbill	<i>Acanthiza nana</i>	5	6.58%
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	19	25.00%
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	13	17.11%