

## Historical Species List for Shoalhaven Heads from Birdata

Common Name	Scientific Name	Count	Reporting Rate
Australasian Darter	Anhinga novaehollandiae	10	0.75%
Australasian Figbird	Sphecotheres vieilloti	20	1.50%
Australasian Gannet	Morus serrator	59	4.41%
Australasian Grebe	Tachybaptus novaehollandiae	2	0.15%
Australasian Pipit	Anthus novaeseelandiae	26	1.94%
Australasian Shoveler	Spatula rhynchotis	6	0.45%
Australian Gull-billed Tern	Gelochelidon macrotarsa	232	17.35%
Australian Hobby	Falco longipennis	42	3.14%
Australian King-Parrot	Alisterus scapularis	22	1.65%
Australian Magpie	Gymnorhina tibicen	193	14.44%
Australian Pelican	Pelecanus conspicillatus	656	49.07%
Australian Pied Oystercatcher	Haematopus longirostris	911	68.14%
Australian Raven	Corvus coronoides	326	24.38%
Australian Shelduck	Tadorna tadornoides	5	0.37%
Australian White Ibis	Threskiornis moluccus	366	27.37%
Australian Wood Duck	Chenonetta jubata	28	2.09%
Azure Kingfisher	Ceyx azureus	1	0.07%
Banded Lapwing	Vanellus tricolor	1	0.07%
Banded Stilt	Cladorhynchus leucocephalus	1	0.07%
Bar-shouldered Dove	Geopelia humeralis	43	3.22%
Bar-tailed Godwit	Limosa lapponica	856	64.02%
Beautiful Firetail	Stagonopleura bella	1	0.07%
Black Swan	Cygnus atratus	633	47.34%
Black-faced Cuckoo-shrike	Coracina novaehollandiae	73	5.46%
Black-fronted Dotterel	Eseyornis melanops	5	0.37%
Black-shouldered Kite	Elanus axillaris	17	1.27%
Black-tailed Godwit	Limosa limosa	42	3.14%
Black-winged Stilt	Himantopus leucocephalus	8	0.60%
Broad-billed Sandpiper	Calidris falcinellus	3	0.22%
Brown Falcon	Falco berigora	1	0.07%
Brown Gerygone	Gerygone mouki	7	0.52%
Brown Goshawk	Accipiter fasciatus	7	0.52%
Brown Quail	Synoicus ypsilophora	31	2.32%
Brown Songlark	Cincloramphus cruralis	1	0.07%
Brown Thornbill	Acanthiza pusilla	136	10.17%
Brush Bronzewing	Phaps elegans	1	0.07%
Brush Cuckoo	Cacomantis variolosus	3	0.22%
Canada Goose	Branta canadensis	1	0.07%
Caspian Tern	Hydroprogne caspia	446	33.36%
Cattle Egret	Bubulcus ibis	1	0.07%
Channel-billed Cuckoo	Scythrops novaehollandiae	9	0.67%
Chestnut Teal	Anas castanea	409	30.59%
Collared Sparrowhawk	Accipiter cirrocephalus	5	0.37%
Common Blackbird	Turdus merula	5	0.37%
Common Greenshank	Tringa nebularia	22	1.65%
Common Myna	Acridotheres tristis	15	1.12%
Common Sandpiper	Actitis hypoleucos	3	0.22%
Common Starling	Sturnus vulgaris	4	0.30%
Common Tern	Sterna hirundo	74	5.53%
Crested Pigeon	Ocyphaps lophotes	77	5.76%
Crested Tern	Thalasseus bergii	592	44.28%
Crimson Rosella	Platycercus elegans	32	2.39%
Crow & Raven spp		1	0.07%
Curlew Sandpiper	Calidris ferruginea	49	3.66%
Dollarbird	Eurystomus orientalis	107	8.00%
Double-banded Plover	Charadrius bicinctus	377	28.20%
Dusky Woodswallow	Artamus cyanopterus	1	0.07%

Eastern Curlew	<i>Numenius madagascariensis</i>	872	65.22%
Eastern Koel	<i>Eudynamys orientalis</i>	81	6.06%
Eastern Reef Egret	<i>Egretta sacra</i>	1	0.07%
Eastern Rosella	<i>Platycercus eximius</i>	7	0.52%
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	59	4.41%
Eastern Whipbird	<i>Psophodes olivaceus</i>	182	13.61%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	47	3.52%
European Goldfinch	<i>Carduelis carduelis</i>	1	0.07%
Fairy Martin	<i>Petrochelidon ariel</i>	10	0.75%
Fairy-wren spp		3	0.22%
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	9	0.67%
Fork-tailed Swift	<i>Apus pacificus</i>	1	0.07%
Galah	<i>Eolophus roseicapilla</i>	97	7.26%
Glossy Black-Cockatoo	<i>Calyptorhynchus lathami</i>	4	0.30%
Glossy Ibis	<i>Plegadis falcinellus</i>	4	0.30%
Golden Whistler	<i>Pachycephala pectoralis</i>	19	1.42%
Golden-headed Cisticola	<i>Cisticola exilis</i>	1	0.07%
Great Cormorant	<i>Phalacrocorax carbo</i>	168	12.57%
Great Egret	<i>Ardea alba</i>	317	23.71%
Great Knot	<i>Calidris tenuirostris</i>	43	3.22%
Greater Sand Plover	<i>Charadrius leschenaultii</i>	7	0.52%
Grey Butcherbird	<i>Cracticus torquatus</i>	67	5.01%
Grey Fantail	<i>Rhipidura fuliginosa</i>	93	6.96%
Grey Goshawk	<i>Accipiter novaehollandiae</i>	2	0.15%
Grey Plover	<i>Pluvialis squatarola</i>	21	1.57%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	31	2.32%
Grey Teal	<i>Anas gracilis</i>	146	10.92%
Grey-tailed Tattler	<i>Tringa brevipes</i>	25	1.87%
Hardhead	<i>Aythya australis</i>	2	0.15%
Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	22	1.65%
Hooded Plover	<i>Thinornis cucullatus</i>	1	0.07%
Horsfield's Bronze-Cuckoo	<i>Chalcites basalis</i>	6	0.45%
House Sparrow	<i>Passer domesticus</i>	9	0.67%
Inland Dotterel	<i>Charadrius australis</i>	1	0.07%
Intermediate Egret	<i>Ardea intermedia</i>	38	2.84%
Jaeger spp		1	0.07%
Kelp Gull	<i>Larus dominicanus</i>	2	0.15%
Large wader spp		2	0.15%
Latham's Snipe	<i>Gallinago hardwickii</i>	3	0.22%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	78	5.83%
Leaden Flycatcher	<i>Myiagra rubecula</i>	3	0.22%
Lesser Sand Plover	<i>Charadrius mongolus</i>	42	3.14%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	137	10.25%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	155	11.59%
Little Corella	<i>Cacatua sanguinea</i>	82	6.13%
Little Eagle	<i>Hieraaetus morphnoides</i>	4	0.30%
Little Egret	<i>Egretta garzetta</i>	202	15.11%
Little Grassbird	<i>Poodytes gramineus</i>	2	0.15%
Little Lorikeet	<i>Glossopsitta pusilla</i>	2	0.15%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	475	35.53%
Little Raven	<i>Corvus mellori</i>	8	0.60%
Little Tern	<i>Sternula albifrons</i>	207	15.48%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	191	14.29%
Long-billed Corella	<i>Cacatua tenuirostris</i>	4	0.30%
Magpie-lark	<i>Grallina cyanoleuca</i>	156	11.67%
Marsh Sandpiper	<i>Tringa stagnatilis</i>	7	0.52%
Masked Lapwing	<i>Vanellus miles</i>	483	36.13%
Medium wader spp		6	0.45%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	1	0.07%

Musk Lorikeet	Glossopsitta concinna	5	0.37%
Nankeen Kestrel	Falco cenchroides	63	4.71%
New Holland Honeyeater	Phylidonyris novaehollandiae	264	19.75%
Noisy Friarbird	Philemon corniculatus	2	0.15%
Noisy Miner	Manorina melanocephala	17	1.27%
Olive-backed Oriole	Oriolus sagittatus	22	1.65%
Oriental Plover	Charadrius veredus	1	0.07%
Osprey	Pandion haliaetus	11	0.82%
Pacific Black Duck	Anas superciliosa	98	7.33%
Pacific Golden Plover	Pluvialis fulva	454	33.96%
Pacific Gull	Larus pacificus	3	0.22%
Pectoral Sandpiper	Calidris melanotos	2	0.15%
Peregrine Falcon	Falco peregrinus	15	1.12%
Pied Cormorant	Phalacrocorax varius	158	11.82%
Pied Currawong	Strepera graculina	48	3.59%
Pink-eared Duck	Malacorhynchus membranaceus	1	0.07%
Pomarine Jaeger	Stercorarius pomarinus	1	0.07%
Rainbow Lorikeet	Trichoglossus moluccanus	174	13.01%
Red Knot	Calidris canutus	149	11.14%
Red Wattlebird	Anthochaera carunculata	211	15.78%
Red-browed Finch	Neochmia temporalis	22	1.65%
Red-capped Plover	Charadrius ruficapillus	788	58.94%
Red-kneed Dotterel	Erythronyx cinctus	2	0.15%
Red-necked Stint	Calidris ruficollis	616	46.07%
Red-whiskered Bulbul	Pycnonotus jocosus	57	4.26%
Restless Flycatcher	Myiagra inquieta	1	0.07%
Ring-necked Parakeet	Psittacula krameri	1	0.07%
Rock Dove	Columba livia	9	0.67%
Rose Robin	Petroica rosea	2	0.15%
Royal Spoonbill	Platalea regia	42	3.14%
Ruddy Turnstone	Arenaria interpres	70	5.24%
Rufous Fantail	Rhipidura rufifrons	2	0.15%
Rufous Whistler	Pachycephala rufiventris	12	0.90%
Sacred Kingfisher	Todiramphus sanctus	33	2.47%
Sanderling	Calidris alba	34	2.54%
Satin Bowerbird	Ptilonorhynchus violaceus	17	1.27%
Scarlet Honeyeater	Myzomela sanguinolenta	16	1.20%
Sharp-tailed Sandpiper	Calidris acuminata	126	9.42%
Shining Bronze-Cuckoo	Chalcites lucidus	7	0.52%
Short-tailed Shearwater	Ardenna tenuirostris	14	1.05%
Short-tailed/Sooty Shearwater spp		1	0.07%
Silver Gull	Chroicocephalus novaehollandiae	665	49.74%
Silvereye	Zosterops lateralis	116	8.68%
Small wader spp		1	0.07%
Sooty Oystercatcher	Haematopus fuliginosus	23	1.72%
Southern Boobook	Ninox boobook	1	0.07%
Southern Emu-wren	Stipiturus malachurus	1	0.07%
Spotted Dove	Streptopelia chinensis	44	3.29%
Spotted Pardalote	Pardalotus punctatus	48	3.59%
Square-tailed Kite	Lophoictinia isura	9	0.67%
Straw-necked Ibis	Threskiornis spinicollis	16	1.20%
Striated Heron	Butorides striata	31	2.32%
Striated Thornbill	Acanthiza lineata	1	0.07%
Sulphur-crested Cockatoo	Cacatua galerita	27	2.02%
Superb Fairy-wren	Malurus cyaneus	331	24.76%
Swamp Harrier	Circus approximans	38	2.84%
Teal spp		3	0.22%
Terek Sandpiper	Xenus cinereus	6	0.45%
Topknot Pigeon	Lopholaimus antarcticus	30	2.24%

Tree Martin	<i>Petrochelidon nigricans</i>	26	1.94%
Variiegated Fairy-wren	<i>Malurus lamberti</i>	83	6.21%
Wedge-tailed Shearwater	<i>Ardenna pacifica</i>	11	0.82%
Weebill	<i>Smicronis brevirostris</i>	2	0.15%
Welcome Swallow	<i>Hirundo neoxena</i>	157	11.74%
Whimbrel	<i>Numenius phaeopus</i>	51	3.81%
Whiskered Tern	<i>Chlidonias hybrida</i>	6	0.45%
Whistling Kite	<i>Haliastur sphenurus</i>	31	2.32%
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	210	15.71%
White-browed Scrubwren	<i>Sericornis frontalis</i>	93	6.96%
White-eared Honeyeater	<i>Nesoptilotis leucotis</i>	2	0.15%
White-faced Heron	<i>Egretta novaehollandiae</i>	440	32.91%
White-fronted Chat	<i>Epthianura albifrons</i>	63	4.71%
White-fronted Tern	<i>Sterna striata</i>	8	0.60%
White-headed Pigeon	<i>Columba leucomela</i>	2	0.15%
White-necked Heron	<i>Ardea pacifica</i>	10	0.75%
White-rumped Sandpiper	<i>Calidris fuscicollis</i>	2	0.15%
White-throated Needletail	<i>Hirundapus caudacutus</i>	13	0.97%
White-throated Treecreeper	<i>Cormobates leucophaea</i>	3	0.22%
White-winged Black Tern	<i>Chlidonias leucopterus</i>	2	0.15%
Willie Wagtail	<i>Rhipidura leucophrys</i>	221	16.53%
Yellow Thornbill	<i>Acanthiza nana</i>	15	1.12%
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	34	2.54%
Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	1	0.07%
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	195	14.58%