

Historical Species List for Wilfords Lane Wetlands from Birdata

Common Name	Scientific Name	Count	Reporting Rate
Australasian Darter	Anhinga novaehollandiae	1	1.02%
Australasian Figbird	Sphecotheres vieilloti	11	11.22%
Australasian Grebe	Tachybaptus novaehollandiae	7	7.14%
Australasian Pipit	Anthus novaeseelandiae	19	19.39%
Australasian Shoveler	Spatula rhynchotis	12	12.24%
Australian Hobby	Falco longipennis	9	9.18%
Australian King-Parrot	Alisterus scapularis	1	1.02%
Australian Magpie	Gymnorhina tibicen	44	44.90%
Australian Pelican	Pelecanus conspicillatus	59	60.20%
Australian Pied Oystercatcher	Haematopus longirostris	3	3.06%
Australian Raven	Corvus coronoides	45	45.92%
Australian Reed-Warbler	Acrocephalus australis	8	8.16%
Australian Shelduck	Tadorna tadornoides	4	4.08%
Australian Spotted Crake	Porzana fluminea	1	1.02%
Australian White Ibis	Threskiornis moluccus	36	36.73%
Australian Wood Duck	Chenonetta jubata	14	14.29%
Bar-tailed Godwit	Limosa lapponica	2	2.04%
Black Swan	Cygnus atratus	67	68.37%
Black-faced Cuckoo-shrike	Coracina novaehollandiae	24	24.49%
Black-fronted Dotterel	Elseynornis melanops	41	41.84%
Black-shouldered Kite	Elanus axillaris	15	15.31%
Black-tailed Native-hen	Tribonyx ventralis	1	1.02%
Black-winged Stilt	Himantopus leucocephalus	67	68.37%
Brown Falcon	Falco berigora	3	3.06%
Brown Goshawk	Accipiter fasciatus	3	3.06%
Brown Quail	Synoicus ypsilophora	4	4.08%
Brown Thornbill	Acanthiza pusilla	4	4.08%
Buff-banded Rail	Hypotaenidia philippensis	2	2.04%
Caspian Tern	Hydroprogne caspia	14	14.29%
Cattle Egret	Bubulcus ibis	25	25.51%
Channel-billed Cuckoo	Scythrops novaehollandiae	17	17.35%
Chestnut Teal	Anas castanea	63	64.29%
Collared Sparrowhawk	Accipiter cirrocephalus	1	1.02%
Common Greenshank	Tringa nebularia	4	4.08%
Common Myna	Acridotheres tristis	28	28.57%
Common Starling	Sturnus vulgaris	36	36.73%
Crested Pigeon	Ocyphaps lophotes	22	22.45%
Crimson Rosella	Platycercus elegans	27	27.55%
Curlew Sandpiper	Calidris ferruginea	3	3.06%
Double-banded Plover	Charadrius bicinctus	3	3.06%
Dusky Moorhen	Gallinula tenebrosa	2	2.04%
Eastern Koel	Eudynamys orientalis	6	6.12%
Eastern Rosella	Platycercus eximius	17	17.35%
Eastern Spinebill	Acanthorhynchus tenuirostris	7	7.14%
Eastern Whipbird	Psophodes olivaceus	3	3.06%
Eastern Yellow Robin	Eopsaltria australis	3	3.06%
European Goldfinch	Carduelis carduelis	1	1.02%
Fairy Martin	Petrochelidon ariel	3	3.06%
Fan-tailed Cuckoo	Cacomantis flabelliformis	3	3.06%
Galah	Eolophus roseicapilla	24	24.49%
Golden Whistler	Pachycephala pectoralis	2	2.04%
Golden-headed Cisticola	Cisticola exilis	9	9.18%
Great Cormorant	Phalacrocorax carbo	23	23.47%
Great Egret	Ardea alba	38	38.78%
Grey Butcherbird	Cracticus torquatus	30	30.61%
Grey Fantail	Rhipidura fuliginosa	8	8.16%
Grey Goshawk	Accipiter novaehollandiae	3	3.06%

Grey Shrike-thrush	<i>Colluricincla harmonica</i>	3	3.06%
Grey Teal	<i>Anas gracilis</i>	54	55.10%
Hardhead	<i>Aythya australis</i>	12	12.24%
Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	2	2.04%
House Sparrow	<i>Passer domesticus</i>	1	1.02%
Intermediate Egret	<i>Ardea intermedia</i>	3	3.06%
Latham's Snipe	<i>Gallinago hardwickii</i>	6	6.12%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	36	36.73%
Leaden Flycatcher	<i>Myiagra rubecula</i>	1	1.02%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	9	9.18%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	22	22.45%
Little Corella	<i>Cacatua sanguinea</i>	16	16.33%
Little Eagle	<i>Hieraaetus morphnoides</i>	1	1.02%
Little Egret	<i>Egretta garzetta</i>	5	5.10%
Little Grassbird	<i>Poodytes gramineus</i>	3	3.06%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	36	36.73%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	12	12.24%
Long-toed Stint	<i>Calidris subminuta</i>	2	2.04%
Magpie-lark	<i>Grallina cyanoleuca</i>	41	41.84%
Marsh Sandpiper	<i>Tringa stagnatilis</i>	3	3.06%
Masked Lapwing	<i>Vanellus miles</i>	67	68.37%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	5	5.10%
Nankeen Kestrel	<i>Falco cenchroides</i>	15	15.31%
Nankeen Night-Heron	<i>Nycticorax caledonicus</i>	1	1.02%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	2	2.04%
Noisy Friarbird	<i>Philemon corniculatus</i>	4	4.08%
Olive-backed Oriole	<i>Oriolus sagittatus</i>	8	8.16%
Osprey	<i>Pandion haliaetus</i>	2	2.04%
Pacific Black Duck	<i>Anas superciliosa</i>	48	48.98%
Pacific Golden Plover	<i>Pluvialis fulva</i>	6	6.12%
Peregrine Falcon	<i>Falco peregrinus</i>	3	3.06%
Pied Cormorant	<i>Phalacrocorax varius</i>	1	1.02%
Pied Currawong	<i>Strepera graculina</i>	13	13.27%
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	8	8.16%
Purple Swamphen	<i>Porphyrio porphyrio</i>	21	21.43%
Rainbow Lorikeet	<i>Trichoglossus moluccanus</i>	25	25.51%
Red Wattlebird	<i>Anthochaera carunculata</i>	24	24.49%
Red-browed Finch	<i>Neochmia temporalis</i>	1	1.02%
Red-kneed Dotterel	<i>Erythronyctes alba</i>	18	18.37%
Red-necked Avocet	<i>Recurvirostra novaehollandiae</i>	1	1.02%
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	1	1.02%
Restless Flycatcher	<i>Myiagra inquieta</i>	1	1.02%
Royal Spoonbill	<i>Platalea regia</i>	22	22.45%
Rufous Songlark	<i>Cincloramphus mathewsi</i>	1	1.02%
Rufous Whistler	<i>Pachycephala rufiventris</i>	3	3.06%
Sacred Kingfisher	<i>Todiramphus sanctus</i>	2	2.04%
Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	5	5.10%
Satin Flycatcher	<i>Myiagra cyanoleuca</i>	1	1.02%
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	25	25.51%
Silver Gull	<i>Chroicocephalus novaehollandiae</i>	4	4.08%
Silvereye	<i>Zosterops lateralis</i>	4	4.08%
Southern Emu-wren	<i>Stipiturus malachurus</i>	1	1.02%
Spotted Dove	<i>Streptopelia chinensis</i>	4	4.08%
Square-tailed Kite	<i>Lophoictinia isura</i>	1	1.02%
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	16	16.33%
Striated Thornbill	<i>Acanthiza lineata</i>	1	1.02%
Stubble Quail	<i>Coturnix pectoralis</i>	1	1.02%
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	12	12.24%
Superb Fairy-wren	<i>Malurus cyaneus</i>	33	33.67%

Swamp Harrier	Circus approximans	15	15.31%
Topknot Pigeon	Lopholaimus antarcticus	7	7.14%
Tree Martin	Petrochelidon nigricans	8	8.16%
Variiegated Fairy-wren	Malurus lamberti	4	4.08%
Wedge-tailed Eagle	Aquila audax	5	5.10%
Weebill	Smicrornis brevirostris	1	1.02%
Welcome Swallow	Hirundo neoxena	33	33.67%
Whiskered Tern	Chlidonias hybrida	1	1.02%
Whistling Kite	Haliastur sphenurus	16	16.33%
White-bellied Sea-Eagle	Haliaeetus leucogaster	26	26.53%
White-faced Heron	Egretta novaehollandiae	63	64.29%
White-headed Pigeon	Columba leucomela	5	5.10%
White-necked Heron	Ardea pacifica	11	11.22%
White-throated Treecreeper	Cormobates leucophaea	1	1.02%
Willie Wagtail	Rhipidura leucophrys	32	32.65%
Wonga Pigeon	Leucosarcia melanoleuca	4	4.08%
Wood Sandpiper	Tringa glareola	1	1.02%
Yellow Thornbill	Acanthiza nana	9	9.18%
Yellow-billed Spoonbill	Platalea flavipes	2	2.04%
Yellow-faced Honeyeater	Caligavis chrysops	9	9.18%
Yellow-rumped Thornbill	Acanthiza chrysorrhoa	8	8.16%
Yellow-tailed Black-Cockatoo	Zanda funereus	7	7.14%